Growth regulators

Ag-P 503

Contents	(Weight / volume)%	
Boron (B)	z1	
Calcium (Ca)	х.30	

are a liquid and solid deency correctors for foliar application or directly to soil by fertirrigation. For its high content of

BORON, is used at low doses, and it's fully exploiting in crops. In sugar beet prevents it heart desease or putrid of the root. in apple and pear prevents bitter pit, and cracks. In grape, improves the owering and prevents the cluster fall and the formation of small and wrinkled fruits. In the olive tree, it prevents loss of production, and the deformation of the olive. In horticulture, it prevents hearth rot in celery, the coiled leaves in cauliower and broccoli. In lettuce it prevents hearts rotting and burning side, in stud prevents drying of the tip and stems, in potato it avoids the necrotic of tubers with deformities.

The crop	Fertirrigation	Foliar spray		
Vegetables in the greenhouse	2-1 kg/ 1000 m ²	250 g/ 1000 m ²	4-2 per season	
Vegetables in open fields	1-0.5 kg/ 1000 m ²	500-300 g/ 1000 m ²		
Fruit trees	1-0.5 kg/ 1000 m ²		3-1 per season	
Cuttaf flowers	500-300 g/ 1000 m ²	250 g/ 1000 m ²		
Nurseries		200-100 g/ 1000 m ²	2.2 жан араар	
Field crops	2-1 kg/ 1000 m ²	500-300 g/ 1000 m ²	3-2 per season	

Physical and chemical properties:

- PH: 3-3.5%
- Electrical conductivity: 0.8-1.2 ms/cm at 20°

Packaging:



* The formula can be tailored to suit your crops





Specification and advantages:

- ¹ Improves the owering and prevents the cluster fall.
- In sugar beet prevents it heart desease or putrid of the root.
- 🐝 In apple and pear prevents bitter pit, and cracks.
- In horticulture, it prevents hearth rot in celery, the coiled leaves in cauliower and broccoli.